## **AMENDMENTS TO THE CLAIMS**

This listing of claims will replace all prior versions, and listings, of claims in the application:

## **Listing of Claims:**

1	1. (Currently amended) A computer-implemented method for selectively
2	auditing accesses to a relational database, comprising:
3	receiving a query for the relational database;
4	selectively auditing an access to the relational database,
5	wherein selectively auditing the access involves
6	automatically modifying the query prior to processing the query,
7	wherein the an auditing condition for the selective auditing
8	specifies a condition based on a value of a field in a row in the
9	relational database, and
10	wherein satisfying the auditing condition allows selective
11	auditing of the query,
12	processing the modified query to produce a query result, wherein processing
13	the modified query includes:
14	creating the auditing audit records only for rows in relational
15	tables accessed by the query and that satisfy the auditing condition,
16	and
17	recording the audit records in an audit record store;
18	and
19	returning the query result;

20	wherein if the query modifies at least one entry in the relational database,
21	using a relational database system trigger to create and record the audit record for
22	the modification to the relational database.
1	2 (Canceled).
1	3. (Previously presented) The method of claim 1, further comprising
2	ensuring the case statement is evaluated near the end of the query processing so the
3	case statement is evaluated only after other conditions of the query are satisfied.
1	4-6 (Canceled).
1	7. (Original) The method of claim 1, wherein the audit record includes:
2	a user name for a user making the query;
3	a time stamp specifying a time of the query; and
4	a text of the query.
1	8. (Original) The method of claim 1, wherein the auditing condition
2	includes a condition for a field within the relational database.
1	9. (Currently amended) A computer-readable storage medium storing
2	instructions to be executed by a computer causing the computer to perform a
3	method for selectively auditing accesses to a relational database, the method
4	comprising:
5	receiving a query for the relational database;
6	selectively auditing an access to the relational database,
7	wherein selectively auditing the access involves
8	automatically modifying the query prior to processing the query,
9	wherein the an auditing condition for the selective auditing
10	specifies a condition based on a value of a field in a row in the

11	relational database, and
12	wherein satisfying the auditing condition allows selective
13	auditing of the query,
14	processing the modified query to produce a query result, wherein processing
15	the modified query includes:
16	creating the auditing audit records only for rows in relational
17	tables accessed by the query and that satisfy the auditing condition,
18	and
19	recording the audit record-records in an audit record store;
20	and
21	returning the query result;
22	wherein if the query modifies at least one entry in the relational database,
23	the method further comprises using a relational database system trigger to create
24	and record the audit record for the modification to the relational database.
1	10 (Canceled).
1	11. (Previously presented) The computer-readable storage medium of claim
2	9, wherein the method further comprises ensuring the case statement is evaluated
3	near the end of the query processing so the case statement is evaluated only after
4	other conditions of the query are satisfied.
1	12. (Original) The computer-readable storage medium of claim 9, wherein
2	the method further comprises retrieving the auditing condition for a given table
3	from a data structure associated with the given table.
1	13-14 (Canceled).
1	15. (Original) The computer-readable storage medium of claim 9, wherein
2	the audit record includes:

3	a user name for a user making the query;
4	a time stamp specifying a time of the query; and
5	a text of the query.
1	16. (Original) The computer-readable storage medium of claim 9, wherein
2	the auditing condition includes a condition for a field within the relational database.
1	17. (Currently amended) An apparatus for selectively auditing accesses to a
2	relational database, comprising:
3	a receiving mechanism configured to receive a query for the relational
4	database;
5	a selective auditing mechanism configured to selectively audit an access to
6	the relational database,
7	wherein selectively auditing the access involves
8	automatically modifying the query prior to processing the query,
9	wherein the an auditing condition for the selective auditing
10	specifies a condition based on a value of a field in a row in the
11	relational database, and
12	wherein satisfying the auditing condition allows selective
13	auditing of the query,
14	a query processor configured to process the modified query to produce a
15	query result, wherein processing the modified query includes:
16	creating the auditing audit records only for rows in relational
17	tables accessed by the query and that satisfy the auditing condition,
18	and
19	recording the audit record records in an audit record store;
20	and
21	a returning mechanism configured to return the query result;

22	wherein if the query modifies at least one entry in the relational database,
23	the apparatus uses a relational database system trigger to create and record the audit
24	record for the modification to the relational database.
1	18 (Canceled).
1	19. (Previously presented) The apparatus of claim 17, wherein the query
2	modification mechanism is configured to ensure the case statement is evaluated
3	near the end of the query processing so the case statement is evaluated only after
4	other conditions of the query are satisfied.
1	20. (Original) The apparatus of claim 17, wherein the query modification
2	mechanism is configured to retrieve the auditing condition for a given table from a
3	data structure associated with the given table.
1	21-22 (Canceled).
1	23. (Original) The apparatus of claim 17, wherein the audit record includes:
2	a user name for a user making the query;
3	a time stamp specifying a time of the query; and
4	a text of the query.
1	24. (Original) The apparatus of claim 17, wherein the auditing condition
2	includes a condition for a field within the relational database.
1	25. (Previously presented) The method of claim 1, further comprising
2	retrieving the auditing condition for a given table from a data structure associated
3	with the given table.

2	auditing accesses to a relational database, comprising:
3	receiving a database operation for the relational database;
4	selectively auditing an access to the relational database based on an
5	auditing condition, wherein the auditing condition for the selective auditing
6	specifies a condition based on a value of a field in a row in the relational database;
7	processing the database operation to produce a database operation result,
8	wherein processing the database operation includes:
9	creating the auditing audit records only for selected rows in
10	the relational database that are accessed by the database operation
11	and that satisfy the auditing condition, and
12	recording the audit record records in an audit record store;
13	and
14	returning the database operation result;
15	wherein selectively auditing the access involves automatically modifying
16	the database operation prior to processing the database operation,
17	wherein satisfying the auditing condition allows selective auditing of the
18	database operation and not for other rows;
19	wherein satisfying the auditing condition allows selective auditing of the
20	database operation; and
21	wherein if the database operation modifies at least one entry in the
22	relational database, using a relational database system trigger to create and record
23	the audit record for the modification to the relational database.
1	27 (Canceled).
1	28. (Previously presented) The method of claim 26, wherein the auditing

condition includes a condition for at least two fields within the relational database.

1		29. (Currently amended) A computer-readable storage medium storing
2		instructions that when executed by a computer cause the computer to perform a
3		method for selectively auditing accesses to a relational database, the method
4		comprising:
5		receiving a database operation for the relational database;
6		selectively auditing an access to the relational database based on an
7		auditing condition, wherein the auditing condition for the selective auditing
8	1	specifies a condition based on a value of a field in a row in the relational database
9		processing the database operation to produce a database operation result,
10		wherein processing the database operation includes:
11		creating the auditingaudit records only for selected rows in
12	1	the relational database that are accessed by the database operation
13		and that satisfy the auditing condition, and
14		recording the audit record-records in an audit record store;
15	•	and
16		returning the database operation result;
17		wherein selectively auditing the access involves automatically modifying
18		the database operation prior to processing the database operation,
19		wherein satisfying the auditing condition allows selective auditing of the
20		database operation and not for other rows;
21		wherein satisfying the auditing condition allows selective auditing of the
22		database operation; and
23		wherein if the database operation modifies at least one entry in the
24		relational database, using a relational database system trigger to create and record
25		the audit record for the modification to the relational database.

30 (Canceled).

2	claim 29, wherein the auditing condition includes a condition for at least two
3	fields within the relational database.
1	32. (Currently amended) An apparatus for selectively auditing accesses to
2	a relational database, comprising:
3	a receiving mechanism configured to receive a database operation for the
4	relational database;
5	a selective auditing mechanism configured to selectively audit an access to
6	the relational database based on an auditing condition, wherein the auditing
7	condition for the selective auditing specifies a condition based on a value of a
8	field in a row in the relational database;
9	a processing mechanism configured to process the database operation to
10	produce a database operation result;
11	a creating mechanism configured to create the auditing audit records only
12	for selected rows in the relational database that are accessed by the database
13	operation and that satisfy the auditing condition, and
14	a recording mechanism configured to record the audit record-records in an
15	audit record store; and
16	a returning mechanism configured to return the database operation result;
17	wherein selectively auditing the access involves automatically modifying
18	the database operation prior to processing the database operation,
19	wherein satisfying the auditing condition allows selective auditing of the
20	database operation and not for other rows;
21	wherein satisfying the auditing condition allows selective auditing of the
22	database operation; and

31. (Previously presented) The computer-readable storage medium of

- wherein if the database operation modifies at least one entry in the relational database, the apparatus uses a relational database system trigger to
- create and record the audit record for the modification to the relational database.
  - 1 33 (Canceled).
  - 1 34. (Previously presented) The apparatus of claim 32, wherein the auditing
  - 2 condition includes a condition for at least two fields within the relational database.